PLEASANT PRAIRIE PLAN COMMISSION MEETING VILLAGE HALL AUDITORIUM 9915 39th AVENUE PLEASANT PRAIRIE, WISCONSIN 6:00 P.M. OCTOBER 26, 2015 AGENDA

- Call to Order.
- 2. Roll Call.
- 3. Consider the Minutes of the September 28, 2015 Plan Commission Meeting.
- 4. Correspondence.
- Citizen Comments.
- 6. New Business.
 - A. PUBLIC HEARING AND CONSIDERATION OF A CONDITIONAL USE PERMIT INCLUDING SITE AND OPERATIONAL PLANS for the request of Brandon Jeffries, on behalf of Wisconsin Electric Power Company for approval to install a chemical feed system to supply a mercury emission control chemical to the Pleasant Prairie Power Plant Wet Flue Gas Desulfurization (FGD) facility located at 8000 95th Street. The chemical is used to control mercury emissions from the Pleasant Prairie Power Plant stack in order to comply with the Environmental Protection Agency's (EPA) Mercury and Air Toxic Standards (MATS) Rule.
 - B. **PUBLIC HEARING AND CONSIDERATION OF A CONDITIONAL USE PERMIT INCLUDING SITE AND OPERATIONAL PLANS** to consider the request of Jay Maudlin, on behalf of Wisconsin Electric Power Company to add multi-media filtration or sand filters to the process in order to aid in filtration and removal of total suspended solids at the Pleasant Prairie Power Plant located at 8000 95th Street.
 - C. PUBLIC HEARING AND CONSIDERATION OF A CONDITIONAL USE PERMIT INCLUDING SITE AND OPERATIONAL PLANS to consider the request of William Tucknott for Rust-Oleum Corporation for the installation of a new propellant storage tank at their facility located at 8105 95th Street in LakeView Corporate Park.
- 1. Adjourn.

It is possible that members and possibly a quorum of members of other governmental bodies of the municipality may be in attendance in the above stated meeting to gather information; no action will be taken by any other governmental body except the governing body noticed above.

The Village Hall is handicapped accessible. If you have other special needs, please contact the Village Clerk, 9915 39th Avenue, Pleasant Prairie, WI (262) 694-1400.